

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER,
KANDHAMAL

Letter No. 3698 2026

Date: 13/ 4 /2026

To

The DeGM Kandhamal,
Email : disc.kandhamal@gmail.com

Sub: Web hoisting of Quotation call notice in district web site <https://kandhamal.odisha.gov.in>


Madam / Sir,

Please find herewith a specimen copy of the Quotation call notice regarding Repair and maintenance of PSA Oxygen Plants at DHH, Kandhamal, Phulbani for web hoisting of advertisement in district web site <https://kandhamal.odisha.gov.in> till 23.04.2026 .

Yours faithfully

Enclosed: As above


10.6.26



Chief District Medical & Public health Officer
Kandhamal

Memo No. 3699

Date: 13/ 4 /2026

Copy submitted to the Collector & District Magistrate, Kandhamal for favour of kind information.


10.4.26


Chief District Medical & Public health Officer
Kandhamal

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER,
KANDHAMAL

Letter No. 3700 2026

Dated 13/4 /2026

QUOTATION CALL NOTICE

Sealed quotations are hereby invited from the registered, experienced, eligible and competent firms/agencies having prior expertise in maintenance and repair of PSA Oxygen Plants for undertaking repair and maintenance works of the PSA Oxygen Plant installed at District Headquarter Hospital (DHH), Kandhamal.

The suppliers have to submit their quotations in separate sealed covers which must be super-scribed as “**Quotation for repair and maintenance works of the PSA Oxygen Plant installed at District Headquarter Hospital (DHH), Kandhamal**”.

1. Scope of Work:

Repair and /or replacement of defective components of the PSA Oxygen Plant, including but not limited to:

- Straight Connector
- Elbow Connector
- Pressure Sensor
- Air Filter Element
- Oil Filter
- Air oil Separator
- Roto Air Advance Oil (20 ltr)
- PU Tube 8mm
- Catriz Filter
- Air Dryer Controller
- Any other minor works required for proper functioning of the PSA Oxygen Plant as per site requirement.

2. Eligibility Criteria:

The bidding firm/agency must fulfill the following criteria:

- Must have prior experience in repair & maintenance of PSA Oxygen Plants (Documentary proof to be enclosed).
- Must possess valid GST Registration Certificate.
- Must have PAN Card.

- Must submit past performance records/work orders/completion certificates related to similar works.

3. Submission of Quotation:

- The quotation should reach on or before 23.04.2026 by 05:00 PM.
- Quotation must be submitted in a sealed envelope, clearly super scribed as “**Quotation for repair and maintenance works of the PSA Oxygen Plant installed at District Headquarter Hospital (DHH), Kandhamal**”.
- The sealed quotation should be addressed and submitted to: The Chief District Medical and Public Health Officer, Kandhamal through Speed Post/registered Post/ Courier only.

4. Opening of Quotation:

- The quotation will be opened on 28.04.2026 at 11:00 AM.
- Venue: Office Chamber of the CDM&PHO, Kandhamal.
- The bidders or their authorized representatives may remain present at the time of opening, if they so desire.

5. Evaluation Criteria:

- The bidder quoting the lowest rate (L1) for the items as per the financial proposal shall be declared as the successful bidder, subject to fulfillment of eligibility and technical requirements.

6. Terms and Conditions:

- The quoted rates shall remain valid for a minimum period of 90 days from the date of opening of quotation.
- The rates quoted shall be inclusive of all taxes, duties, transportation, installation and any other charges, if applicable.
- The selected firm/agency shall complete the assigned work within 10 (ten) days from the date of issuance of the work order.
- The selected firm/agency shall provide 6 (six) month of warranty on the replaced parts and service performed. If any issue arises in plant within the period related to the replaced parts, the agency shall replace the same parts with the new one without any cost.
- Payment shall be made after satisfactory completion of work, subject to verification by the competent authority.
- The undersigned reserves the right to accept or reject any or all quotations, wholly or partially, without assigning any reason thereof.



Financial Proposal:

Sl No.	Item description	Quantity	Make/Model	Each Rate (Rs.)	Amount (Rs.)
1	Straight Connector	02 no's			
2	Elbow Connector	01 no's			
3	Pressure Sensor	01 no's			
4	Air Filter Element	01 no's			
5	Oil Filter	01 no's			
6	Air oil Separator	01 no's			
7	Roto Air Advance Oil (20 ltr)	02 no's			
8	PU Tube 8mm	10 no's			
9	Catriz Filter	04 no's			
10	Air Dryer Controller	01 no's			
11	Service charges				

NB: GST may be applicable as per Govt. norms.

A. S. K.
10.4.26

ASK
Chief District Medical & Public health Officer
Kandhamal

Memo No. 3701 / 26

Date: 10-4-26

Copy to notice board of all District Officers of Kandhamal District for information and wide publicity.

Copy to DIC, NIC for information & publication of the quotation call in district website.

A. S. K.
10-4-26

ASK
Chief District Medical & Public health Officer
Kandhamal